

The new Mahindra Supro Profittruck Mini VX.

Mahindra Supro Profittruck Mini VX offers best in class mileage of 23.30 km/l* which means more savings. It has more payload of 900 kg which helps you earn more per trip. Its bigger tyres – 155 R13-8PR (33.02 cm) – and its class leading 8 front leaf spring rigid suspension are capable of carrying the heaviest of loads. Its powerful 19.4 kW DI engine and its all new transmission make the drive smooth and comfortable, so you can make more trips and earn more profit. What's more, it offers the best warranty in its category – 3 years/80 000.00# km – which means you won't have to worry about maintenance. These powerful features of Mahindra Supro Profittruck Mini VX that will take your profits to new heights.

2280 mm Length


The truck with a better performance - Supro Profittruck




23.30 km/I* Mileage



19.4 kW Power








55 Nm Torque



170 mm Ground clearance



DI engine



New transmission that gives car-like gearshift



8 leaf spring front;7 leaf spring rear

900 kg Payload



The truck with better safety - Supro Profittruck

- Front nose design that keeps you safer
- ELR seat belts for better protection
- New X split brakes with LSPV provide better control



Stylish Minitruck with more comfort and unmatched performance

- Bench seats so people can sit together comfortably
- More cabin space to ensure every journey is comfortable
- 12v mobile charging point so you stay connected always

- Mahindra's signature front grill
- Attractive floor carpet
- Stylish and attractive wrap around headlamps that provide plenty of light
- Stylish exteriors and modern looks to keep everyone looking
- Bottle holder with console
- Car-like interior to offer a unique driving experience



CRIMSON RED



DEEP WARM BLUE



DIAMOND WHITE

AVAILABLE IN CBC VARIANT





Specification	Description	Supro Profittruck Mini VX
Engine	Туре	Direct Injection Diesel Engine NA
	No of cylinders	2
	Displacement Capacity	909 cm ³
	Maximum Engine Output (Power)	19.4 kW @ 360 r/min
	Maximum Torque	55 Nm @ 1800-2200 r/min
Transmission	No of Gears	4-Forward and 1- Reverse
Steering	Туре	Manual
Suspension	Front	8 Leaf spring
	Rear	7 Leaf spring
Brake	Туре	Vacuum Assisted Hydraulic with Auto Adjuster
	Front	Disc
	Rear	Drum
Dimensions	Over all vehicle Dimension L X W X H (mm)	3927 x 1540 x 1915
	Cargo Box Dimension L X W X H (mm)	2280 x 1540 x 330
	Wheel Base (mm)	1950
	Min Ground Clearance (mm)	170
	Turning Radius (m)	4.8
Weights	GVW (kg)	1975
	Payload (kg)	900
Wheels & Tyres	Wheel Rim Size	4.5 J x 13 (33.02 cm)
	Tyre Size Designation	155 R13-8PR (33.02 cm)
Max Speed (km/h)		70
Seating Capacity		D + 1
Fuel Tank Capacity (L)		30
Mileage		23.30 km/l*
Warranty		3 year/80 000.00#km

Terms and conditions applied. Accessories shown are not part of standard equipment. As per *VRDE certification, based on standard driving conditions. *Warranty of 3 years or 80 000.00 km whichever is earlier.





All features and colors mentioned are not available on all models. Accessories shown are not part of the standard equipment. Performance figure may differ in conditions other than test conditions. Vehicle body color may differ from the printed photographs. In view of our policy of continuously improving our products, we reserve the rights to alter specifications or designs without prior notice and without liability. Please check model details with your nearest dealer.